Temp-Dex 710

DESCRIPTION AND GENERAL PROPERTIES

- Material Nitrile sandy
- Length (inches) 9.5-11
- Thickness (inches) Lt. Wt.
- · Wrist Knitted wrist
- · Colour/Color Yellow
- Interior finish Seamless textile support
- Exterior finish Dots
- Size / EAN 7 9 11
- Packaging 1 pair/bag 10 pairs/bag 50 pairs/carton
- Complementary information Guaranteed without silicone



PERFORMANCE RESULTS

Certification category 2







X1XXXX

4111

Legends MECHANICAL LOW CHEMICAL MICRO-ORGANISMS **RADIOACTIVE PROTECTION HAZARDS** EN 374 CONTAMINATION EN 388 EN 374 EN 421 PERFORMANCE LEVELS 0-5 0-4 LPuncture resistance SPECIFIC CHEMICAL **COLD HAZARDS** LTear resistance PROTECTION EN 511 Blade cut resistance EN 374 PERFORMANCE LEVELS L Abrasion resistance Letter Chemical 0-4 0 or 1 Code product Water permeability Methanol Α **HEAT** Contact cold resistance AND FIRE R Acetone Convective cold resistance EN 407 С Acetonitrile Dichloromethane PERFORMANCE LEVELS Carbon Disulfide 0-4 0-4 0-4 0-4 Toluene Resistance to large quantities of molten metal Diethylamine Resistance to small drops of molten metal Tetrahydrofurane Ethyl acetate LRadiant heat resistant Convective heat resistance n-Heptane Sodium hydroxide 40% Contact heat resistance LBurning behaviour Sulphuric acid 96%

DESCRIPTION AND GENERAL PROPERTIES

- Thin, anatomically-shaped glove ensures dexterity
- Excellent abrasion resistance: longer lasting
- Special nitrile Grip coating facilitates work in moderately oily environments

MAIN FIELDS OF USE

Ceramic and plastics industry

· Handling of composite materials after heat processing

Other industries

- · Handling of moulds in the ceramic industry
- · Handling of hot steel after welding
- · Handling of hot piping

Construction Industry (Heating engineers/Plumbers)

· Maintaining pipes, heating equipment

INSTRUCTIONS FOR USE

Instructions for use

- It is recommended to check that the gloves are suitable for the intended use, because the conditions of use at workplace may differ from the «CE»-type tests.
- It is not recommended for persons sensitized to dithiocarbamates and to natural latex (wrist with elastic natural rubber)
- Do not use in direct contact with a flame
- Put the gloves on dry, clean hands.
- Ensure the inside of the gloves is dry before putting them on again.
- Inspect the gloves for cracks or snags before reusing them.

Storage conditions

Store the glove in their original packaging protected from heat, light and humidity.

Laundering conditions

Caution: improper use of the gloves or submitting them to a cleaning or laundering process that is not specifically recommended can alter their performance levels.

Food contact US

FDA 21CFR 177.2600

LEGISLATION

This product is not classified as hazardous according to the directive 1999/45/EC of the European Parliament and of the Council. This product does not contain any substances of very high concern according to the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).

• CE-Type Examination Certificate

0075/014/162/11/11/0702

• Issued by the notified body nr

0075

C.T.C. - rue H. FRENKEL - F-69367 LYON CEDEX 07

